

**From:** [Gavlas, Sean](#)  
**To:** [Moore, Gary](#)  
**Subject:** RE: FJ Doyle Map Update Request  
**Date:** Wednesday, September 19, 2018 10:52:15 AM  
**Attachments:** [Figure 5-1 Sample Grid Results Map - Total PCBs Breakout.pdf](#)

---

Gary,

Attached is the requested map. Let me know what you think.

Thanks,

***Sean Gavlas***

**Weston Solutions, Inc.**

Region 6 Superfund Technical Assessment and Response Team (START)  
2600 Dallas Parkway, Suite 280  
Frisco, TX 75034

Cell: 609-433-8434

Office: 469-666-5560

[sean.gavlas@westonsolutions.com](mailto:sean.gavlas@westonsolutions.com)

---

**From:** Moore, Gary [mailto:Moore.Gary@epa.gov]  
**Sent:** Tuesday, September 18, 2018 10:28 AM  
**To:** Gavlas, Sean <Sean.Gavlas@WestonSolutions.com>  
**Subject:** FJ Doyle Map Update Request

Sean:

Can you have the attached map updated for a new map that shows the following? Different color for each

BLUE: Detection to < 0.24 mg/kg PCBs

YELLOW: >= 0.24 to < 1 mg/kg PCBs

ORANGE: >= 1 mg/kg to < 50 mg/kg PCB

RED: >= 50 mg/kg PCBs

Thanks

**Gary W. Moore (6SF-ER)**  
**Federal On-Scene Coordinator**  
**U.S EPA Region 6**  
**1445 Ross Ave, Suite 1200**

Dallas, TX 75202-2733

Cell: 214.789.1627

[moore.gary@epa.gov](mailto:moore.gary@epa.gov)

**WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.**

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.